

INDEX MAPS.

T. 8 N. R. 8 E. 2nd Mer.

	73		73		72		72		72		71	
75	6	95	5	91	4	88	3	84	2	81	1	71
	95		95		91		87		84		81	
75	7	94	8	90	9	87	10	83	11	80	12	71
	96		94		90		86		83		80	
74	18	94	17	90	16	86	15	83	14	80	13	70
	96		93		90		86		82		79	
74	19	93	20	89	21	85	22	82	23	79	24	70
	96		93		89		85		82	77	77	
74	30	92	29	88	28	85	27	81	26	76	25	69
	97		92		88	84	85	78	78		76	
74	31	91	32	88	33	78	34	77	35	76	36	69
	69		68	79	68		67		67		67	

T. 9 N. R. 8 E. 2nd Mer.

	105		104		104		104		103		103	
107	6	127	5	121	4	118	3	114	2	110	1	103
	126		126		121		117		114		110	
106	7	126	8	121	9	117	10	113	11	110	12	102
	125		125		120		117		113		109	
106	18	125	17	120	16	116	15	113	14	109	13	102
	124		124		120		116		112		109	
106	19	124	20	119	21	116	22	112	23	108	24	101
	123		123		119		115		112		108	
105	30	123	29	119	28	115	27	111	26	108	25	101
	122		122		118		115		111		107	
105	31	122	32	118	33	114	34	111	35	107	36	101
	100		100		99		99		99		99	

(P The figures on the lines refer to the page.

Township N: 9 North, Range N: 8 East, 2^d Mer. Indiana 99
ch. lks

South Boundary

West On S. boundary of Sec 36, T9 N. R8 E.
28.00 a Branch 5 lks. wide Course S.
40.00 Set gr. Sec. post, from which
an Ash 20 in. dia. bray N 73 E 25 lks. dist. of
a Beech 6 " " " 60 W 16 " "
67.30 a Creek 7 lks. wide Course S.
80.00 Set post Cor. to Sec. 35 of 36, from which
an Ash 27 in. dia. bray N 78 W 37 lks. dist. of
a Beech 12 " " " 73 E 20 " "
2nd rate land, Beech, Poplar &c. undngth Spruce

West On S. boundary of Sec. 35
40.00 Set gr. Sec. post, from which
a Beech 15 in. dia. bray N 43 E 6 lks. dist. of
a Do. 20 " " " 13 E 14 " "
71.75 a Poplar 60 " "
80.00 Set post Cor. to Sec. 34 of 35, from which
a Sugar 12 in. dia. bray N 20 E 3 lks. dist. of
a Beech 27 " " " 41 W 33 " "
Good land, timber Beech, Poplar, Ash &c.
undngth Spruce 2nd rate land

West On S. boundary of Sec. 34
7.00 a Branch 6 lks. wide Course S. W
27.90 a Do. 6 " " " S.
40.00 Set gr. Sec. post, from which
a Spruce 24 in. dia. bray N 20 W 33 lks. dist. of
a Beech 24 " " " N 37 W 8 " "
80.00 Set post Cor. to Sec. 33 of 34, from which
a Beech 16 in. dia. bray N 64 W 20 lks. dist. of
a Do 12 " " " N 37 E 20 " "
Flat land, timber Ash, Beech, Poplar &c.
undngth Spruce &c.

West On S. boundary of Sec. 33

T9N - R8E. 2^d Mer. Indianach^d. lⁿ.16.40 a Branch 12 lⁿ. wide Course S. E.

20.69 an Elm 40 m. dist.

40.00 Set of Sec. post, from which
a Beech 40 m. dist. bear N49 E 9 lⁿ. dist. of
a lⁿ. 7 " " " N69 W 31 " "

67.58 an Elm 20 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 9 m. dist. bear N59 W 13 lⁿ. dist. of
an Oak 10 " " " S34 E 25 " "
Flat wet land, timber Beech, Poplar, Ash, Elm,
yc. including Spruce yc.

Met On S. boundary of Sec. 32

14.00 a Branch 10 lⁿ. wide Course S.

15.80 a Beech 27 m. dist.

18.00 a Branch 6 lⁿ. wide Course S.40.00 Set of Sec. post, from which
an Ash 16 m. dist. bear N25 W 20 lⁿ. dist. of
a Poplar 6 " " " S30 E 38 " "

41.00 enter a Swamp

53.00 leave the Swamp

61.00 enter a Swamp

80.00 Set post Cor. to Sec. 31 & 32, from which
an Ash 6 m. dist. bear N86 W 44 lⁿ. dist. of
a Maple 6 " " " South 10 " "
Sand flat & wet, timber Ash, Maple &c

Met On S. boundary of Sec. 31

12.00 leave the Swamp

33.50 an Oak 40 m. dist.

40.00 Set of Sec. post, from which
a Beech 24 m. dist. bear N61 W 17 lⁿ. dist. of
a lⁿ. 14 " " " S76 E 11 " "

51.16 a W. Oak 50 " "

75.50 Intersected Township Corner.

Land timber yc. same as above

T9 N R8 E. 2^d Mer. Indiana

101

ch. l. l. m.

East Boundary. var. 6.15. E.

North On E. boundary of Sec. 36, T9 N. R8 E.

10.50 a Branch 6 l. m. wide Course S. E

28.50 a Beech 24 m. dia.

40.00 let q. Sec. post, from which

a Beech 12 m. dia. bear N 21 W 3 l. m. dist. of

a Sugar 5 " " " S 21 E 25 " "

62.25 an Ash 24 " "

80.00 let post Cor. to Sec. 25 of 36 from which

a Sugar 14 m. dia. bear S 29 W 3 l. m. dist. of

a Beech 12 " " " S 75 E 9 " "

Level rich land, timber Sugar, Beech, Poplar,
Walnut &c. undug ^{to} Spruce & hemlock

North On E. boundary of Sec. 25

7.00 a Beech 30 m. dia.

38.50 a Branch 6 l. m. wide Course W.

40.00 let q. Sec. post, from which

a Sugar 10 m. dia. bear N 64 E 1 l. m. dist. of

a Do. 8 " " " S 51 W 23 " "

50.00 a Branch 4 l. m. wide Course W

52.85 a Beech 18 m. dia.

78.00 a Branch 4 l. m. wide Course S. W.

80.00 let post Cor. to Sec. 24 & 25, from which

a Beech 12 m. dia. bear S 31 W 21 l. m. dist. of

a Do. 18 " " " S 78 E 16 " "

Level rich land, timber Beech, Poplar, Sugar, &c
undug ^{to} Spruce, hemlock &c.

North On E. boundary of Sec. 24,

15.00 an Oak 18 m. dia.

27.00 a Branch 6 l. m. wide Course S. W.

37.14 a Poplar 54 m. dia.

40.00 let q. Sec. post, from which

a Beech 6 m. dia. bear N 55 E 11 l. m. dist. of

a Do. 8 " " " S 1 E 21 " "

102 T9 N R8 E 2^d Mer. Indiana

ch. 1/4

54.50 a Branch 20 lks. wide Course S. W.

63.48 a do. 15 " " " S. W

65.50 a Beech 20 in. dia.

80.00 Let post Cor. to Sec. 13 & 24, from which
a Beech 8 in. dia. bray S 70 W 20 lks. dist. of

a Sugar 18 " " " N 78 W 20 " "

Rolling land rich soil, timber, Sugar, Beech
Poplar, Walnut &c. undugth Spruce, pampaw &c

North On E. boundary of Sec. 13

11.24 a Beech 18 in. dia.

24.50 a Branch 8 lks. wide S. W.

36.04 a Beech 20 in. dia.

40.00 Let of. Sec. post, from which

a Beech 8 in. dia. bray S 78 W 10 lks. dist. of

a do. 8 " " " N 9 E 24 " "

60.90 an Ash 24 " "

80.00 Let post Cor. to Sec. 12 & 13, from which

a Beech 10 in. dia. bray S 52 W 8 lks. dist. of

an Ash 18 " " " N 50 W 7 " "

Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 12

1.08 a Sycamore 30 in. dia.

6.00 a Branch 10 lks. wide Course W.

19.90 a Beech 15 in. dia.

40.00 Let of. Sec. post, from which

a Beech 4 in. dia. bray S 79 E 18 lks. dist. of

a do. 6 " " " S 47 W 19 " "

55.00 a Branch 4 lks. wide Course W.

60.35 an Ash 24 in. dia.

80.00 Let post Cor. to Sec. 11 & 12, from which

an Ironwood 5 in. dia. bray S 30 W 11 lks. dist. of

a Beech 3 " " " N 66 E 30 " "

Level 2^d rate, timber Beech, B. Ash, Sugar &c
undugth Spruce, pampaw &c Soil good

ch. lth

North On E. boundary of Sec. 1, T9 N. R8 E.

3.00 a Branch 4 lth. wide Course W.

29.20 a Locust 30 mi. dist.

38.00 a Branch 4 lth. wide Course S. W.

40.00 Let gr. Sec. post, from which

a Beech 15 mi. dist. bear N 6th W 19 lth. dist. toa Do. 8 " " " S 36th E 17 " "

70.88 Let post Cor. to Townships 9 & 10 North, Ranges 8 & 9 East, from which

a Beech 20 mi. dist. bear N 57th E 9 lth. dist. toa Do. 6 " " " S 41th E 11 " "

Level land, timber Beech, Anger, Poplar &c.

undergth. Spruce, pan-pang &c. good soilJune 12th. 1819

North Boundary

West On S. boundary of Sec. 36, T10 N. R8 E.

19.14 a Brook 5 lth. wide Course S. W.

26.15 a Do. 5 lth. " " N. E.

40.00 Let gr. Sec. post, from which

a Beech 14 mi. dist. bear N 85th W 14 lth. dist. toa Do. 30 " " " S 43th E 29 " "

80.00 Let post Cor. to Sec. 35 & 36, T10 N. R8 E, from which

a Beech 20 mi. dist. bear S 27th W 7 lth. dist. toa Do. 4 " " " N 30th E 8 " "Over good farming land, timber, Beech, Anger
Ash, undergth. Spruce &c.

West On S. boundary of Sec. 35, T10 N. R8 E

40.00 Let gr. Sec. post, from which

a Beech 13 mi. dist. bear S 13th W 9 lth. dist. toa Do. 20 " " " N 61th E 29 " "

70.47 a Brook 6 lth. wide Course N.

76.15 a Do. 4 " " " N.

80.00 Let post Cor. to Sec. 34 & 35, T10 N. R8 E, from which

a Beech 20 mi. dist. bear S 49th E 4 lth. dist. to

T9 N. R8 E. 2nd Mer. Indiana

ch. 1st 1st

a Beech 6 in. dia. - bray N 10 E 21st 1st dist. of
Over good farming land, timber Beech, Sugar
Ash, undergth Spruce &c.

Nest On S. boundary of Sec. 34, T10 N. R8 E.

14.42 a Brook 15th 1st wide Course N.

40.00 Set of Sec. post, from which

a Beech 7 in. dia. - bray N 61 W 21st 1st dist. of

a Do. 7 " " " N 82 E 3 " "

80.00 Set post Cor. to Sec. 33 & 34, T10 N. R8 E, from which

a Beech 24 in. dia. - bray N 76 E 5th 1st dist. of

a Do. 8 " " " N 39 W 5 " "

Over good land rather level, timber Beech
Ash, Hickory &c. undergth Spruce &c.

Nest On S. boundary of Sec. 33, T10 N. R8 E.

40.00 Set of Sec. post, from which

a Beech 9 in. dia. - bray N 70 E 25th 1st dist. of

a Sugar 9 " " " N 67 W 17 " "

41.26 a Brook 3th 1st wide Course N.

80.00 Set post Cor. to Sec. 32 & 33, T10 N. R8 E, from which

a Lyncamore 50 in. dia. - bray N 81 E 23th 1st dist. of

a Hackberry 14 " " " N 55 W 16 " "

Over good farming land, timber Beech, Sugar
Ash &c. undergth Spruce.

Nest On S. boundary of Sec. 32, T10 N. R8 E.

17.00 a Creek 70th 1st wide Course S. W.

40.00 Set of Sec. post, from which

a Beech — in. dia. - bray N 27 W 13th 1st dist. of

a Sugar 30 " " " N 25 W 17 " "

80.00 Set post Cor. to Sec. 31 & 32, T10 N. R8 E, from which

a Beech 20 in. dia. - bray N 80 E 10th 1st dist. of

a Do. 15 " " " N 60 W 27 " "

Over good farming land, timber Beech, Ash
&c. undergth Spruce &c.

T9 N. R8 E. 2^d Mer. Indiana

- ch^y l^y
 West On S. boundary of Sec. 31, T9 N. R8 E.
 32.23 a Brook 3th wide Course N.
 35.83 a Creek 25th " " S.W.
 40.00 Let q^r. Sec. post, from which
 a Beech 18 in. dia. bran N44 W 3th dist. of
 a Do. 12 " " " N52 E 20 " "
 74.40 intersected N. boundary 450th S. of temp^y post
 let post Cor. to Township 9 of 10 North, Range
 7 of 8 East, from which
 an Elm 24 in. dia. bran N5 E 30th dist. of
 an Ash 12 " " " S21 W 24 " "
 Over good farming land, timber Beech, Ash &c.
 undergth. Spruce &c
-

- West Boundary
 North On E. boundary of Sec. 36, T9 N. R7 E.
 23.35 a Beech 15th dia.
 40.00 Let q^r. Sec. post, from which
 an Ash 12 in. dia. bran N68 W 10th dist. of
 a Beech 12 " " " S52 E 13 " "
 52.98 an Elm 27 " "
 79.20 a Creek 30th wide Course S.W.
 80.00 Let post Cor. to Sec. 25 of 36, T9 N. R7 E, from which
 a Poplar 8 in. dia. bran N10 E 3th dist. of
 a Sycamore 42 " " " S41 W 16 " "
 Over level ground, timber Beech &c. Soil good
 undergth. Spruce &c
-

- North On E. boundary of Sec. 25, T9 N. R7 E.
 13.50 an Elm 20 in. dia.
 17.10 a Creek 25th wide Course S.W.
 40.00 Let q^r. Sec. post, from which
 a Beech 6 in. dia. bran N39 W 9th dist. of
 a Do. 12 " " " N68 1/2 E 21 " "
 66.07 a Gum 24 " "
 80.00 Let post Cor. to Sec. 24 of 25, T9 N. R7 E, from which

T9 N. R8 E. 2^d Mer. Indiana
ch 2th

a Beech 18 m. dist. - bear N 71 E 5 lks. dist. of
 a do. 12 " " " N 51 W 30 " "
 Over level land, timber Beech, Ash, Elm &c.
 undng^m. Spruce Soil good

North On E. boundary of Sec. 24, T9 N. R7 E.

20.40 a Beech 27 m. dist.

40.00 At qtr. Sec. post, from which

a Beech 4 m. dist. - bear N 15 1/2 E 7 lks. dist. of

a do. 9 " " " N 7 W 26 " "

63.45 a do. 36 " "

80.00 At post Cor. to Sec. 13 of 24, T9 N. R7 E, from which

a Beech 30 m. dist. - bear N 73 W 4 lks. dist. of

a do. 9 " " " N 83 E 27 " "

Over level ground, timber, Beech, Ash &c.

undng^m. Spruce, Soil good

North On E. boundary of Sec. 13, T9 N. R7 E.

10.40 an Elm 30 m. dist.

40.00 At qtr. Sec. post, from which

a Beech 6 m. dist. - bear N 83 W 9 lks. dist. of

an Ash 14 " " " N 48 E 22 " "

70.65 a Poplar 54 " "

76.30 a Branch 8 lks. wide Course N.

80.00 At post, Cor. to Sec. 12 of 13, T9 N. R7 E, from which

a Poplar 27 m. dist. - bear N 63 W 17 lks. dist. of

a Red Oak 24 " " " N 71 E 27 " "

Over level land, timber Beech, Poplar &c.

undng^m. Spruce, Soil good

North On E. boundary of Sec. 12, T9 N. R7 E.

39.00 a Creek 100 lks. wide Course N. & E.

40.00 At qtr. Sec. post, from which

a Willow 6 m. dist. - bear N 29 E 4 lks. dist. of

an Elm 5 " " " N 55 W 13 " "

52.52 a Beech 18 " "

T9 N R8 E. T^h. Mer. Indiana

107

ch. lly.

80.00 At post Cor. to Sec. 1 & 12, T9 N. R7 E, from which
a Beech 15 m. dist. bear N 29 E 20 lly. dist. of
a Do. 6 " " " — West 26 " .
Over rolling land, timber Beech, Oak &c
undergth Spruce, Soil good

North On E. boundary of Sec. 1, T9 N. R7 E.

1.40 a Creek 100 lly. wide course S. W.

40.00 At q^r. Sec. post, from which
a Sugar 20 m. dist. bear S 86 W 12 lly. dist. of
a Beech 6 " " " N 88 E 12 " .

49.50 an Elm 30 " .

75.50 Intersected the Township Corner as estab-
lished on the East & West line

June 11th. 1879

Surveyed By

John M. McDonald, M.S.

Subdivision. var. 6th 45th E.

North Between Sec. 35 & 36, T9 N. R7 E

27.36 a Beech 18 m. dist.

40.00 At q^r. Sec. post, from which
a Beech 36 m. dist. bear N 36 E 27 lly. dist. of
a Sugar 12 " " " S 30 W 28 " .

60.06 a Beech 15 " " .

80.00 At post Cor. to Sec. 25, 26, 35 & 36, from which
a W. Ash 24 m. dist. bear S 10 W 20 lly. dist. of
a Sugar 24 " " " S 24 W 24 " .
Level T^h. rate land, Beech, Ash, Sugar &c.
undergth Spruce &c

East On Rand^m. between Sec. 25 & 36

40.00 At temp^y. q^r. Sec. post

70.56 Crossed a branch 20 lly. wide run S. W.

84.76 Intersected the E. boundary 292 lly. S. of post
Rolling T^h. rate land, Beech, Oak, Ash,

Town N E & E. 2nd Mer. Indiana

Ch. 1st

Poplar &c. undergth Spruce

West On true line between Sec^s. 25 & 26

40.88 Let q^r. Sec. post at average dist. from which
a Beech 20 m. dist. bear N 70° W 12 lns. dist. of
an Ironwood 8 " " " S 75° E 14 " "

81.76 to Sec. Corner

North Between Sec^s. 25 & 26

22.27 at Beech 20 m. dist.

40.00 Let q^r. Sec. post, from which
a Beech 30 m. dist. bear N 76° W 34 lns. dist. of
a W. Ash 20 " " " East 34 " "

68.00 a W. Ash 20 " "

80.00 Let post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Beech 15 m. dist. bear S 89° E 18 lns. dist. of
a W. 40 " " " N 37° E 24 " "
Level 2nd rate land, Beech, Poplar, Ash, &c
undergth Spruce.

East On Cand^m. between Sec^s. 24 & 25

40.00 Let temp^y. q^r. Sec. post

81.80 Intersected the E. boundary 304 lns. S. of post
Level 2nd rate land, Beech, Ash, Poplar, Sugar
&c. undergth Spruce &c.

West Corrected between Sec^s. 24 & 25

40.90 Let q^r. Sec. post at average dist. from which
a Beech 20 m. dist. bear N 25° W 24 lns. dist. of
a W. 30 " " " S 80° E 37 " "

81.80 to Sec. Corner.

North Between Sec^s. 23 & 24

35.04 at Beech 18 m. dist.

40.00 Let q^r. Sec. post, from which
a Beech 15 m. dist. bear S 83° E 17 lns. dist. of

109

T9 N. N8 E. 2nd Mer. Indiana
ch. lks

a Beech 10 m. dia. - beam N65 N 20 lks. dist. of
68.00 a Do 30 " "
80.00 Let post Cor. to Sec. 13, 14, 23 & 24, from which
a Beech 10 m. dia. - beam N25 E 16 lks. dist. of
a Hickory 18 " " " West 7 " "
Level 2nd rate land, Beech, Sugar, Hickory &c.
undergth Spruce &c

East On Rand^m. between Sec. 13 & 24

40.00 Let temp. q. Sec. post
81.69 Intersected the E. boundary 322 lks. S. of post
Level 2nd rate land, Beech, Ash, Hickory
Oak &c. undergth Spruce &c.

West Connected between Sec. 13 & 24

40.84 Let q. Sec. post at average dist. from which
a Lym 36 m. dia. - beam N65 N 15 lks. dist. of
a Beech 12 " " " N52 E 6 " "
81.69 to Sec. Corner.

North Between Sec. 13 & 14

21.80 a Sugar 15 m. dia. - beam
40.00 Let q. Sec. post, from which
a Beech 8 m. dia. - beam N63 N 4 lks. dist. of
a Sugar 4 " " " N52 E 11 " "
72.15 a W. Ash 20 " "
80.00 Let post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 4 m. dia. - beam N76 N 18 lks. dist. of
a Do. 12 " " " N66 E 31 " "
Level 2nd rate land, Beech, Sugar, Ash &c.

East On Rand^m. between Sec. 12 & 13

40.00 Let temp. q. Sec. post
81.81 Intersected the E. boundary 380 lks. S. of post
level 2nd rate land, timber Beech, Sugar, Ash &c.
undergth Spruce &c

T⁹ N. R²⁷ E. 2^d Mer. IndianaCh. lthWest Connected between Sec^s. 12 & 13

40.90 Set q^r. Sec. post at average dist. from which
 a Sugar 12 in. dia. bear West 36 in. dist. of
 a Beech 8 " " " East 4 " "

81.81 to Sec. Corner.

North Between Sec^s. 11 & 12

20.40 a Walnut 36 in. dia.

40.00 Set q^r. Sec. post, from which
 a W. Oak 36 in. dia. bear N 63 E 11 in. dist. of
 a Beech 24 " " " N 25 W 27 " "

80.00 Set post Co. to Sec^s. 1, 2, 11 & 12, from which
 a Beech 12 in. dia. bear N 35 W 10 in. dist. of
 a W. Oak 12 " " " South 12 " "
 Level 2^d rate land Beech, Oak, Ash &c.
 undergth. Spruce &c

East On Rand^m. Between Sec^s. 1 & 1240.00 Set temp^y. q^r. Sec. post

81.76 Intersected E. boundary 320 in. S. of post
 Level 2^d rate land, Beech, Ash, Oak, Sugar
 &c. undergth. Spruce &c.

West Connected between Sec^s. 1 & 12

40.88 Set q^r. Sec. post at average dist. from which
 a Beech 15 in. dia. bear S 32 W 12 in. dist. of
 a Do. 20 " " " N 65 E 30 " "

81.76 to Sec. Corner.

North Between Sec^s. 1 & 2

25.00 a Beech 30 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 8 in. dia. bear S 80 E 30 in. dist. of
 a Do. 36 " " " West link "

68.05 a Beech 36 " "

73.00 Intersected the N. boundary 214 in. N. of post

111

Sgt. R & E. 2^d Mer. Indiana

ch. l^y

At post Cor. to Sec. 1 & 2, from which
a Beech 24 in. dia. bear N 88 E 21 l^y. dist. of
a Sugar 18 " " " N 76 W 32 " "
Level 2^d. rate land, Beech, Sugar, Ash, Oak &c.
undergth. Spruce &c.

North Between Sec. 34 & 35

36.00 a Cherry 20 in. dia.

40.00 At q^r. Sec. post, from which
a W. Ash 10 in. dia. bear N 65 E 25 l^y. dist. of
a Sugar 12 " " " N 85 W 17 " "

54.75 a W. Ash 20 " "

80.00 At post Cor. to Sec. 26 & 27, 34 & 35, from which
a W. Ash 12 in. dia. bear S 31 W 17 l^y. dist. of
a Do. 18 " " " N 60 E 16 " "
Level 2^d. rate land, Beech, Ash, Sugar &c.
undergth. Spruce &c.

East On Rand^m. between Sec. 26 & 35

40.00 Left temp. q^r. Sec. post

79.64 Intersected, the N & S. line 40 l^y S. of post
Level 2^d. rate land, Beech, Sugar, Poplar &c.
undergth. Spruce &c.

West Connected between Sec. 26 & 35

39.82 Set q^r. Sec. post at average dist. from which
a Poplar 60 in. dia. bear S 55 W 17 l^y. dist. of
a Beech 15 " " " S 72 E 33 " "

79.64 to Sec. Corner

North Between Sec. 26 & 27

25.80 a W. Oak 24 in. dia.

40.00 At q^r. Section post, from which
a Beech 18 in. dia. bear N 3 E 16 l^y. dist. of
a Do. 18 " " " N 70 W 21 " "

63.65 a Poplar 60 " "

112

T⁹N R8E T² Mer. Indianach².lb₄

80.00 Set post Cor. to Sec^s. 22, 23, 26 & 27, from which
 a W. Ash 24 in. dia. bears N10 E 25 lb. dist. of
 a B. Ash 12 " " " N72 W 22 " "
 Level 2nd rate land, Beech, Ash, Sugar,
 Poplar, undergth. Spruce &c.

East On Rand^m. between Sec^s. 23 & 2640.00 Set temp^y q^r. Sec. post

79.74 Intersected the N & S line at the post
 Level 2nd rate land, Beech, Oak, Ash &c.
 undergth. Spruce &c.

West Corrected between Sec^s. 23 & 26

39.87 Set q^r. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N4 E 32 lb. dist. of
 a Do. 12 " " " N35 W 16 " "

79.74 to Sec. Corner.

North Between Sec^s. 22 & 23

26.05 a Beech 12 in. dia.

40.00 Set q^r. Sec. post, from which
 a Hickory 6 in. dia. bears N58 E 16 lb. dist. of
 a Beech 18 " " " N24 W 32 " "

68.60 a W. Elm 20 " "

80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which
 a Beech 24 in. dia. bears N50 E 18 lb. dist. of
 a Do. 8 " " " S50 W 6 " "
 Level 2nd rate land, Beech, Ash, Elm, Hickory
 undergth. Spruce &c.

East On Rand^m. between Sec^s. 14 & 2340.00 Set temp^y. q^r. Sec. post

79.80 Intersected the N & S line 12 lb. N. of post
 Level 2nd rate land, Beech, Ash, Sugar, Poplar &c.
 undergth. Spruce &c.

ch^d lly
West

Corrected Between Sec. 14 & 23

39.90 Set of Sec. post at average dist. from which
a Beech 10 in. dia. - bray N 30 W 6 lks. dist. of
a Do. 15 " " " N 65 E 16 " "

79.80 to Sec. Corner.

North Between Sec. 14 & 15

30.16 a W. Ash 30 in. dia.

40.00 Set of Sec. post, from which
a Beech 12 in. dia. - bray S 40 W 3 lks. dist. of
a Do 6 " " " N 88 E 18 " "

60.18 a Sugar 12 " "

80.00 Set post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 18 in. dia. - bray N 73 E 23 lks. dist. of
a Do. 18 " " " N 10 W 9 " "
Level 2^d rate land, Beech, Ash, Sugar, Oak
&c. undug^d - Spruce &c.

East On Rand^m. between Sec. 11 & 14

40.00 Set temp. of Sec. post

79.50 Intersected the N & S. line 42 lks. S. of post
Level 2^d rate land, Beech, Ash, Hickory
Oak &c. undug^d - Spruce

West Corrected between Sec. 11 & 14

39.70 Set of Sec. post at average dist. from which
a Beech 12 in. dia. - bray S 34 W 16 lks. dist. of
a Do. 15 " " " N 87 E 24 " "

79.50 to Sec. Corner.

North Between Sec. 10 & 11

33.80 a Black Ash 15 in. diam.

40.00 Set of Sec. post, from which
a Beech 24 in. dia. - bray S 10 W 27 lks. dist. of
a Do. 36 " " " N 43 E 26 " "

63.77 a W. Oak 36 " "

114

Sgt. P. & E. J. Mer. Indiana

ch. l. h.

80.00 Let post Cor. to Sec. 2, 3, 10 & 11, from which
 a Poplar 48 mi. dist. by N 68° W 6 mi. dist. of
 at Beech 30 " " " N 45° E 32 " "
 Level 2nd rate land, Beech, Poplar, Ash, Oak
 &c. undugth. Spruce &c

East On Rand^m. between Sec. 2 & 1140.00 Let temp^y. q^r. Sec. post

79.80 Intersected the N & S. line 32 mi. S. of post
 Rolling 2nd rate land, Beech, Ash, Sugar &c.
 undugth. Spruce &c.

West Cor. between Sec. 2 & 11

39.90 Let q^r. Sec. post at average dist. from which
 a Beech 20 mi. dist. by N 25° W 7 mi. dist. of
 a Do. 6 " " " S 30° W 14 " "

79.80 to Sec. Corner

North Between Sec. 2 & 3

30.04 a Sugar 18 mi. dist.

40.00 Let q^r. Sec. post, from which
 a W. Ash 36 mi. dist. by South 9 mi. dist. of
 a Do. 18 " " " S 70° W 12 " "

63.20 a Beech 36 " "

74.00 Intersected the N. Boundary 279th W. of post
 Let post Cor. to Sec. 2 & 3, from which
 a Beech 8 mi. dist. by N 83° E 9 mi. dist. of
 a Sugar 8 " " " S 60° W 6 " "
 Level 2nd rate land, Beech, Sugar, Ash, Poplar &c
 undugth. Spruce &c

North Between Sec. 33 & 34

20.50 a Beech 20 mi. dist.

40.00 Let q^r. Sec. post, from which
 a W. Ash 30 mi. dist. by S 32° W 19 mi. dist. of
 a Do. 30 " " " S 26° E 14 " "

Sgt. R. E. D. Mer. Indiana 115
ch. 1/2

72.77 a Beech 12 mi. dist.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 18 mi. dist. bearing S 11 W 15 mi. dist. of
a Do. 12 " " " North 14 " "
Level 2nd rate land Beech, Ash, Poplar &c.
undergth Spruce &c.

East On Land^m between Sec. 27 & 34

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 156 mi. S. of post
Level 2nd rate land Beech, Sugar, Ash, Elm &c.
undergth Spruce &c.

West Connected between Sec. 27 & 34

40.00 Set q^r. Sec. post, from which

a Sugar 14 mi. dist. bearing S 80 W 25 mi. dist. of
a Beech 24 " " " S 85 E 24 " "

80.00 to Sec. Corner

North Between Sec. 27 & 28

23.35 a B. Ash 10 mi. dist.

40.00 Set q^r. Sec. post, from which

a Poplar 12 mi. dist. bearing N 80 E 18 mi. dist. of
a Do. 15 " " " N 75 W 32 " "

56.00 a Poplar 50

80.00 Set post Cor. to Sec. 21, 22, 27 & 28 from which
a Beech 36 mi. dist. bearing S 56 W 25 mi. dist. of
a Do. 20 " " " S 28 E 20 " "
Flat wet Land, Beech, Oak, Maple &c. undergth Spruce

East On Land^m between Sec. 22 & 27

40.00 Set temp^y. q^r. Sec. post

79.60 Intersected the N & S. line 150 mi. S. of post
Level 2nd rate land, Beech, Ash, Sugar, Poplar
&c. undergth Spruce &c.

S. N. R. & E. 2^d. Mer. Indiana

ch. 1st
 West Connected between Sec. 22 & 27
 39.80 Set q. Sec. post at average dist. from which
 a Hornbeam 6 in. dia. - bray N 21 E 14 lks. dist. of
 a Do. 4 " " " N 64 E 7 " "
 79.60 to Sec. Corner

North Between Sec. 21 & 22
 25.40 a Walnut 36 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 32 in. dia. - bray N 22 E 27 lks. dist. of
 a Do. 36 " " " N 30 W 28 " "
 72.72 a Sugar 15 " "
 80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
 a B. Ash 24 in. dia. - bray N 21 W 18 lks. dist. of
 a Beech 15 " " " N 50 W 13 " "
 Level 2^d. rate land, Beech, Ash, Sugar, Oak
 Poplar &c. undergth. Spruce

East On Rand^m. between Sec. 15 & 22
 40.00 Set temp^y. q. Sec. post
 79.90 Intersected the N of S. line 96 lks. S. of post
 Level 2^d. rate land, Beech, Oak, Ash, Sugar
 &c. undergth. Spruce &c.

West Connected between Sec. 15 & 22
 39.95 Set q. Sec. post at average dist. from which
 a Sugar 20 in. dia. - bray N 68 E 6 lks. dist. of
 a Beech 12 " " " N 79 W 12 " "
 79.90 to Sec. Corner

North Between Sec. 15 & 16
 25.75 a Beech 20 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 32 in. dia. - bray N 30 W 18 lks. dist. of
 a Do. 6 " " " N 50 E 7 " "
 66.50 a W. Ash 24 " "

117

Tgt N 8 E. 2nd Mer. Indiana

ch. lth
80.00 At post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 24 m. dist. by way No E 19 lth. dist. &
a do. 12 " " " N 26 W 11 " "
Level 2nd rate land, Beech, Ash, Sugar, Oak,
Hickory &c. undergth Spruce.

East On Rand^m. between Sec. 10 & 15
40.00 At temp^y. q^r. Sec. post
80.10 Intersected the N & S. line 92 lth. S. of post
Level 2nd rate land, Beech, Sugar, Ash, Oak
Poplar &c.

West Connected between Sec. 10 & 15
40.05 At q^r. Sec. post at average dist. from which
a Beech 15 m. dist. by way S 40 E 4 lth. dist. &
a do. 10 " " " S 22 W 17 " "
80.10 to Sec. Corner

North Between Sec. 9 & 10
23.80 a W. Elm 30 m. dist.
40.00 At q^r. Sec. post, from which
a W. Ash 36 m. dist. by way N 25 W 25 lth. dist. &
a Sugar 12 " " " S 11 E 22 " "
66.78 a do. 28 " "
80.00 At post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 15 m. dist. by way S 83 W 16 lth. dist. &
a do. 24 " " " North 2 " "
Broken 2nd rate land, Beech, Sugar, Ash,
Oak &c. undergth Spruce.

East On Rand^m. between Sec. 3 & 10
40.00 At temp^y. q^r. Sec. post
79.86 Intersected the N & S. line, 123 lth. S. of post
Broken 3rd rate land, Beech, Ash, Hick^y. &c.
undergth Spruce, Dogwood &c

118 Sept 1880. 2nd Mer. Indiana

ch²lly

West Connected between Sec^s. 3 & 10

39.93 At gr. Sec. post, at average dist. from which
a R. Oak 36 in. dia. bear N 22° W 33 lks. dist
a Beech 12 " " " South 8 " "
79.68 to Sec. Corner.

North Between Sec^s. 3 & 4

21.05 a Beech 18 in. dia.

40.00 At gr. Sec. post, from which
a Beech 30 in. dia. bear N 37° E 20 lks. dist. of
a W. Oak 24 " " " N 54° W 27 " "

73.75 Intersected the N boundary 65 lks. N. of post
At post Cor. to Sec^s. 3 & 4, from which
a Beech 36 in. dia. bear N 28° W 13 lks. dist. of
a Do. 12 " " " N 60° E 17 " "
Rolling 2nd rate land, Beech, Oak, Ash, Sugar
&c. undngth. Spruce &c.

North Between Sec^s. 32 & 33

22.30 a Gum 15 in. dia.

40.00 At gr. Sec. post, from which
a Beech 12 in. dia. bear N 54° E 5 lks. dist. of
a Do. 6 " " " N 88° W 3 " "

61.08 a Hickory 18 " "

80.00 At post Cor. to Sec^s. 28, 29, 32 & 33, from, which
a Beech 36 in. dia. bear N 45° W 33 lks. dist. of
no other. Flat wet land, timber
Beech, Gum, Oak, Hickory &c. undngth. Spruce

East On Rand^m. between Sec^s. 28 & 33

40.00 At temp^y. gr. Sec. post

79.50 Intersected the N & S. line 146 lks. S. of post
Land level 2nd rate Beech, Oak, Ash &c.
undngth. Spruce &c.

West Connected Between Sec^s. 28 & 33

120) Sgt. R. E. D. Mer. Indiana

ch. l. l.

a Beech 24 m. dist. from St 80 W 32 l. h. dist. of
Level 2nd rate land, Beech, Ash, Oak &c,
underg^m. Spruce &c.

East On Rand^m. between Sec. 16 & 21

40.00 Set temp^y. of Sec. post

79.28 Intersected the N & S. line 190 l. h. S. of post
Level 2nd rate land, Beech, Ash, Oak,
Poplar &c. underg^m. Spruce

West Corrected between Sec. 16 & 21

39.64 Set of Sec. post at average dist. from which
a Beech 20 m. dist. from St 50 W 12 l. h. dist. of
a Do. 24 " " " St 36 E 24 " "

79.28 to Sec. Corner.

North Between Sec. 16 & 17

20.04 a Beech 18 m. diam.

40.00 Set of Sec. post, from which
a Beech 15 m. dist. from St 43 W 26 l. h. dist. of
a Do. 12 " " " St 34 E 18 " "

69.62 a Beech 15 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17 from which
a Beech 18 m. dist. from St 44 W 12 l. h. dist. of
a W. Elm 12 " " " St 58 E 38 " "
Level 2nd rate land, Beech, Oak, Ash, Poplar
&c. underg^m. Spruce

East On Rand^m. between Sec. 9 & 16

40.00 Set temp^y. of Sec. post

79.86 Intersected the N & S. line 176 l. h. S. of post
Level 2nd rate land, Beech, Ash, Anger, Oak &c,
underg^m. Spruce &c

West Corrected between Sec. 9 & 16

39.93 Set of Sec. post at average dist. from which

121

Sq. N. R 8 E. 2nd Mer. Indiana

ch. 1st 1/4
 a Beech 18 mi. dia. bray N 88 E 24 hr. dist. of
 a do. 8 " " " N 87 W 5 " "
 79.86 to Sec. Corner

North Between Sec. 8 & 9
 18.50 a Beech 18 mi. dia.
 40.00 Set of. Sec. post, from which
 a Beech 36 mi. dia. bray N 18 E 21 hr. dist. of
 a do. 12 " " " N 16 E 16 " "
 54.00 a Branch running N.W.
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a Sugar 8 mi. dia. bray N 45 W 8 hr. dist. of
 a Beech 36 " " " N 86 E 25 " "
 Shilly 2nd rate land, Beech, Oak, Sugar, Poplar
 &c. undergth Spruce

East On Rand^m. between Sec. 4 & 9
 40.00 Set temp^y. of. Sec. post
 79.94 Intersected the N & S. line 180 hr. S. of post
 Shilly 3rd rate land, Beech, Oak, Hickory &c.
 undergth Dogwood, Spruce &c.

West Connected between Sec. 4 & 9
 39.97 Set of. Sec. post at average dist. from which
 a Beech 12 mi. dia. bray N 77 W 16 hr. dist. of
 a do. 15 " " " N 76 E 18 " "
 79.94 to Sec. Corner.

North Between Sec. 4 & 5
 15.04 a W. Oak 60 mi. dia.
 40.00 Set of. Sec. post, from which
 a Beech 18 mi. dia. bray N 61 E 12 hr. dist. of
 a do. 8 " " " South 30 " "
 64.24 a do 18 " "
 73.84 Intersected, N. boundary 112 hr. E. of post
 Set post Cor. to Sec. 4 & 5, from which

122

S 9 N N 8 E, 2nd Mer. Indiana
ch. lth.

a W. Ash 6 m. dia. beam S 85 W 6 lth. dist. of
a Sugar 12 " " " S 40 E 16 " "
Hilly 2nd rate land, Beech, Ash, Sugar &c.
undergth Spruce &c.

North Between Sec. 31 & 32

18.17 a W. Elm 15 m. dia.

31.00 enter a Swamp

40.00 Let gr. Sec. post, from which
a Willow 8 m. dia. beam S 80 W 15 lth. dist. of
a do. 15 " " " East 19 " "

60.41 a W. Ash 24 " "

62.00 leave the Swamp

80.00 Let post Cor. to Sec. 29, 30, 31 & 32, from which
a B. Ash 12 m. dia. beam N 68 E 5 lth. dist. of
a W. Ash 24 " " " S 68 W 4 " "
Swampy flat land, Ash, Beech, Willow &c

East On Rand^m. between Sec. 29 & 32

40.00 Let temp^y. gr. Sec. post

79.50 Intersected the N & S. line 130 lth. S. of post
Flat wet land, Beech, Ash, Maple &c.

West Connected between Sec. 29 & 32

39.75 Let gr. Sec. post at average dist, from which
a Beech 18 m. dia. beam N 46 E 18 lth. dist. of
a do. 40 " " " S 88 W 24 " "

79.50 to Sec. Corner.

West Between Sec. 30 & 31

20.00 a W. Elm 15 m. dia.

40.00 Let gr. Sec. post, from which
a Sugar 12 m. dia. beam S 26 E 12 lth. dist. of
a Beech 12 " " " N 77 E 10 " "

60.40 a do. 18 " "

75.59 intersected W. boundary 175 lth. N. of post

Sgt. R. E. D. Mer. Indiana 123
ch. 1/2 mi.

Set post Cor. to Sec. 30 & 31, from which
a W. Elm 15 mi. dist. from, 180 E 18 mi. dist. of
a Beech 24 " " " N 10 W 16 " "
Flat wetland, Beech, W. Elm, Oak &c.
underg^g. Spruce

North Between Sec. 29 & 30

25.90 a W. Elm 18 mi. dist.
40.00 Set q^r. Sec. post, from which
a Beech 24 mi. dist. from, South 17 mi. dist. of
a Do. 15 " " " N 30 W 22 " "
60.78 a Beech 18 " " "
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a W. Elm 20 mi. dist. from, N 32 E 18 mi. dist. of
a Beech 8 " " " North 12 " "
Level wet 3^d. rate land, Beech, Elm, Ash &c.
underg^g. Spruce, Beech &c.

East On Rand^m. between Sec. 20 & 29

40.00 Set temp^y. q^r. Sec. post
79.34 Intersected the N & S line 138 mi. S. of post
Shily 3^d. rate land, Beech, Hickory, Oak &c.
underg^g. Logwood, Spruce &c.

West Connected between Sec. 20 & 29

39.67 Set q^r. Sec. post at average dist. from which
a Beech 40 mi. dist. from, 146 E 25 mi. dist. of
a Do. 10 " " " N 80 W 30 " "
79.34 to Sec. Corner.

West Between Sec. 19 & 30

29.84 a Hickory 18 mi. dist.
40.00 Set q^r. Sec. post, from which
a Beech 18 mi. dist. from, N 53 E 8 mi. dist. of
a Hickory 13 " " " N 80 W 9 " "
59.65 a W. Elm 48 " "

124 T9 N. R8 E. 2nd Mer. Indiana

ch^l 75.31 Intersected N. boundary 224 lns. North of post (no post set for Corner to Sec. 19 of 30, nor bearings taken) Flat wet land Beech, Hickory, Elm &c. undngth Beech, Spruce

North Between Sec. 19 & 20

26.82 a W. Ash 24 in. dia.

40.00 Set q. Sec. post, from which
a W. Ash 20 in. dia. bear S 72° W 22 lns. dist. &
a Beech 18 " " " S 30° E 9 " "

69.00 a Do 18 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bear S 79° W 33 lns. dist. &
a Do. 12 " " " N 80° E 23 " "
Rolling 3rd rate land Beech, Oak, Ash &c.
undngth Spruce, Dogwood &c.

East On Land^g between Sec. 17 & 20

40.00 Set temp^y q. Sec. post

79.22 Intersected the S. & S. line 108 lns. S. of post
Level 2nd rate land, Beech, Ash, Sugar, Oak
&c. undngth Spruce &c.

West Connected between Sec. 17 & 20

39.61 Set q. Sec. post at average dist. from which
a Sugar 6 in. dia. bear N 78° E 5 lns. dist. &
a Beech 12 " " " S 87° W 17 " "

79.22 to Sec. Corner.

West Between Sec. 18 & 19

18.00 a Beech 36 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bear S 47° E 11 lns. dist. &
a Do. 30 " " " N 30° E 26 " "

75.72 Intersected N. boundary 275 lns. N. of post
Set post Cor. to Sec. 18 & 19, from which

125

Sgt. N & E. D. Mer. Indiana
ch. l. l. l.
a Beech 15 in. dia. bray N 45 E 7 l. l. dist. of
a Do. 12 " " " N 48 E 6 " "
Rolling 3rd rate Beech land

North Between Dec. 17 & 18

19.25 a Beech 30 in. dia.

40.00 at q. Sec. post, from which

a Beech 24 in. dia. bray N 54 W 16 l. l. dist. of

a Do. 12 " " " N 12 E 38 " "

69.00 a Poplar 60 " "

80.00 at post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 20 in. dia. bray N 23 E 26 l. l. dist. of

a W. Elm 15 " " " N 69 W 18 " "

Rolling 2nd rate land, Beech, Ash, Elm, Poplar
fc. undergth Spruce

East On Rand^m. between Dec. 8 & 17

40.00 at temp. q. Sec. post

79.50 intersected the N & S. line 96 l. l. S. of post

Level 2nd rate land, Beech, Sugar, Poplar, Oak
fc. undergth Spruce &c.

West Connected between Dec. 8 & 17

39.75 at q. Sec. post at average dist. from which

a Bur Oak 60 in. dia. bray N 66 W 26 l. l. dist. of

a Sugar 12 " " " N 72 E 17 " "

79.50 to Sec. Corner

West Between Dec. 7 & 18

23.56 a W. Elm 18 in. dia.

40.00 at q. Sec. post, from which

a Beech 30 in. dia. bray N 45 E 35 l. l. dist. of

a Do. 15 " " " N 39 W 9 l. l. " "

55.70 a Do 20 " "

75.60 intersected W. boundary 380 l. l. N. of post
at post Cor. to Sec. 7 & 18, from which

Sgt. R. E. 2^d Mer. Indiana

ch. l. h.

a Beech 24 mi. dist. bray N 45 E 16 ch. dist. of
a Do. 12 " " " N 37 W 10 " "
Rolling 3^d rate Beech land

North Between Sec. 7 & 8

15.08 a Sugar 12 mi. dist.

40.00 Set of Sec. post, from which

a Beech 10 mi. dist. bray N 45 W 27 ch. dist. of

a R. Elm 15 " " " N 45 E 4 " "

60.20 a Sycamore 20 " "

62.10 a Branch 20 ch. wide Corner West

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which

a Beech 12 mi. dist. bray S 22 W 19 ch. dist. of

a Sugar 20 " " " N 42 E 4 " "

Rolling 2^d rate land, Beech, Sugar, Ash
Elm &c. undergth Spruce

East On Rand^m. between Sec. 5 & 8

40.00 Set temp^y. of Sec. post

79.80 Intersected the N & S line 100 ch. S. of post

Rolling 2^d rate land, Beech, Ash, Elm, Oak,
Sugar &c. undergth Spruce

West Corrected between Sec. 5 & 8

39.90 Set of Sec. post at average dist. from which

a Beech 15 mi. dist. bray West 30 ch. dist. of

a R. Elm 20 " " " N 70 E 19 " "

79.80 to Sec. Corner.

West Between Sec. 6 & 7

20.20 a Beech 20 mi. dist.

40.00 Set of Sec. post, from which

a Beech 12 mi. dist. bray S 6 W 10 ch. dist. of

a Do. 15 " " " N 15 W 15 " "

43.20 a Branch 30 ch. wide run N. W.

59.08 a Beech 12 mi. dist.

127

Township N. 8 E. 2. Mer. Indiana

ch. 1/2
76.00 Intersected N. boundary of Sec. 430 hrs. N. of
post, Set post Cor. to Sec. 5 of 6, from which
a Beech 30 mi. dist. bear South Wink dist. of
a Do. 6 " " " N 5 E 12 hrs. "
Broken 2nd rate land, Beech, Sugar, Ash &c.
undergth Spruce.

North Between Sec. 5 of 6
24.40 a Beech 18 mi. dist.
40.00 Set q^r. Sec. post, from which
a Sugar 8 mi. dist. bear N 12 W 37 hrs. dist. of
a Beech 18 " " " N 15 W 22 " "
57.70 a W. Ash 36 " "
72.30 Intersected N. boundary of Town, 290 hrs. E. of
post, Set post Cor. to Sec. 5 of 6, from which
a Beech 16 mi. dist. bear S 7 W 20 hrs. dist. of
a Do. 40 " " " N 55 W 11 " "
Broken 2nd rate land, Beech, Ash, Sugar
Oak &c. undergth Spruce. Nov. 28th 1819
Reuben F. Morris
Deputy Surveyor

Comp.

I certify that the foregoing transcript of field notes
of Township N. 8 E. 2, Range N. 8 E. 2, Meridian
Indiana, has been compared with the original
notes in this Office, & found to be correct.
Surveyor General's Office
Cincinnati, Sept. 27th 1847
William Johnston
Sur. Genl.